



ROOFING PRODUCTS

ROYAL'S COMPLETE LINE OF ROOFING PRODUCTS.

PROTECTS

EASY TO APPLY

STRONG & DURABLE

INSULATES

INCREASES ROOF LIFE

SAVES TIME & MONEY

Royal Oil Company is proud to offer a line of high-quality cold-process roofing products that meet the demand of conscientious building owners. Royal Guard Coatings are recommended for use on most any type of industrial or commercial building

ROYAL GUARD PLASTIC CEMENT

Truly the first step in proper roofing maintenance. All Royal Guard roofing systems begin with flashings, and any other obvious trouble areas. **ROYAL GUARD PLASTIC CEMENT** is a full-bodied “mastic” made of the same materials as other Royal Guard products. The difference is the increased quantity of reinforcing fibers. This allows **PLASTIC CEMENT** to form a tight waterproof bond yet remains pliable to withstand roof expansion and contraction. Always use **ROYAL GUARD PLASTIC CEMENT** with **GLAS-GUARD** patching fabric. **GLAS-GUARD** is “sandwiched” between 2 layers of **PLASTIC CEMENT** to give greater strength to the patch (as steel is used to reinforce concrete).

ROYAL GUARD PRIMER

A penetrating liquid asphalt coating that may be used as a “primer” coat for subsequent applications of Royal Guard Coatings. Helps restore or replace those components of an existing built-up roof that have dried-up due to exposure and age. **ROYAL GUARD PRIMER** may also be used in the construction of two-ply cap sheets, although in most cases the use of **ROYAL GUARD ROOF COATING** or **PC TYPE ROOF COATING** would be recommended.

ROYAL GUARD ROOF COATING

The Flagship of the Royal Roof Coatings line. A superior formulation of special catalytically air blown asphalt, mineral fillers, penetrating oils, and reinforcing fibers. These top-grade components are then blended to a uniform consistency best described as somewhere between Plastic Cement and Primer. That is, it is thick and full-bodied, yet easily pours out of the bucket and spreadable. **ROYAL GUARD ROOF COATING** is the No. 1 choice for use in the construction of fiberglass felt and polyester fabric built-up roof systems.

PC TYPE ROOF COATING

Virtually the same formulation as regular Royal Guard Roof Coating. However, contains a greater percentage of reinforcing fibers so **PC TYPE ROOF COATING** is thicker. **PC TYPE ROOF COATING** can be used in constructing any of Royal’s built-up roof systems. Because of extra thickness it offers some increase in “top-coat” protection. **PC TYPE ROOF COATING** is often preferred in colder months because it actually pours better than regular coatings in cold temperatures.

INDUSTRIAL

CONSTRUCTION

AGRICULTURAL

MUNICIPAL

ROYALUME

In addition to protection, **ROYALUME** also helps to insulate. Unlike most insulating materials which retard heat after they have penetrated the roof, **ROYALUME** helps stop heat on a roof before it enters the roof system. Time and temperature tests using **ROYALUME** produced the following results: The surface coated with **ROYALUME** was cooler by 22° F. after one hour and by 26° F. after eight hours.

FIBERED ALUMINUM ROOF COATING

Combines special asphalts, pure aluminum flakes and reinforcing fibers to provide superior roof protection. Unlike thin paint film coatings, **FIBERED A.R.C.** cures to a greater mil thickness for extra protection. By deflecting heat before it has a chance to enter a roof system, it helps protect the roof membrane against drying, cracking and splitting caused by the elements. Unlike thin film coatings, **FIBERED A.R.C.** is a viscous gel which cures to a greater mil thickness to provide extra protection. Helps prevent the formation and spread of rust and other organic growths on metal roofs.

SINGLE-PLY

Composed of a tough polyester core uniformly coated on both sides with water-proofing asphalt. It is 50 mils thick and much stronger than conventional organic roofing felts. In addition, **SINGLE-PLY** has great elongation capabilities, tensile strength and durability which enables it to resist splits and tears.

GLAS-GUARD

For Use in Conjunction with **ROYAL GUARD PLASTIC CEMENT** to Repair Blisters, Bulges, Cracks or Breaks in Roof Membranes. **GLAS-GUARD** is constructed of pure glass fiber with a thread positioning coat of special organic coating designed for ROYAL GAURD Asphalt Products The **GLAS-GUARD** saturant is a combination of synthetic resins and natural asphalt in the proper balance to give complete compatibility with all accepted waterproofing and coating compounds.

For information regarding container sizing, pricing, or directions
please call 1-800-332-1926.

MANUFACTURING

GOVERNMENT OFFICES

SCHOOL SYSTEMS

WAREHOUSES

For nearly 90 years Royal has partnered with many roofing companies and applicators to give their customers the benefits that Royal's Roofing Products have to offer.

If you are a roofing applicator, business owner, or even an interested customer contact us to see how partnering with Royal could benefit you, your business, and your customers!



MADE IN THE USA 

842 N MAIN ST.
Fort Worth, TX 76164
1-800-332-1926
www.royaloilus.com

Royal
OIL CO.